



集团微信订阅号

集团微信服务号

# 测试报告

## (Test Report)

No. A4F221077A4S41C7377

样品名称  
(Sample Description)

玉米芯垫料

委托单位  
(Applicant)

山西三颗月生物科技有限公司

PONY 谱尼测试

Pony Testing International Group

www.ponytest.com



查询密码:Pg74E7q

## 声明 Statement

1. 本报告无检验检测专用章、报告骑缝章和批准人签章无效。  
This report is invalid without special seal for inspection and test, cross-page seal and signature of the approver.
2. 本报告页面所使用“PONY”、“谱尼”字样为本单位的注册商标,其受《中华人民共和国商标法》保护,任何未经本单位授权的擅自使用和仿冒、伪造、变造“PONY”、“谱尼”商标均为违法侵权行为,本单位将依法追究其法律责任。  
The words "PONY" and "谱尼" used in this report page are the registered trademarks of the company, which are protected by the Trademark Law of the People's Republic of China. Any unauthorized use, counterfeiting, forging or altering of the trademarks of "PONY" and "谱尼" without the authorization of the company is an illegal infringement, and the company will investigate their legal liabilities according to law.
3. 委托单位对报告数据如有异议,请于报告完成之日起十五日内(初级农产品报告请于报告收到之日起五个工作日内)向本单位书面提出复测申请,同时附上报告原件并预付复测费。  
If the applicant has any objection to the report data, please submit a written application for retesting to PONY within 15 days after the completion of the report (for the report of primary agricultural products, submit a written application for retesting to the unit within 5 working days after the receipt of the report), with the original report attached and the retesting fee prepaid.
4. 委托单位办理完毕以上手续后,本单位会尽快安排复测。如果复测结果与异议内容相符,本单位将退还委托单位的复测费。  
After the applicant completes the above procedures, PONY shall arrange the retesting as soon as possible. If the retest result is consistent with the objection, PONY will refund the retest fees.
5. 不可重复性或不能进行复测的实验,不进行复测,委托单位放弃异议权利。  
If the experiment cannot be repeated or cannot be retested, no retest shall be conducted, and the applicant shall waive the right of objection.
6. 委托单位对送检样品的代表性和资料的真实性负责,否则本单位不承担任何相关责任。  
The applicant is responsible for the representativeness of the commissioned samples and the authenticity of the documents, otherwise PONY does not assume any relevant responsibilities.
7. 本报告仅对所测样品的测试结果负责,测试数据仅反映对该样品的评价且仅用于委托单位科研、教学或内部质量控制使用,不具有对社会的证明作用,对于测试数据的使用、使用所产生的直接或间接损失及一切法律后果,本单位不承担任何经济和法律后果。  
This report is only responsible for the test results of the tested sample. The test data only represents the evaluation of the tested sample and can only be used for scientific research, teaching, or internal quality control by the applicant, does not have proof of social effect. PONY does not assume any economical or legal liability generated from direct or indirect usage of the test report.
8. 本单位有权在完成报告后按规定方式处理所测样品,除客户特别声明并支付样品管理费,所有超过标准规定时效期的样品均不再做留样。  
PONY has the right to dispose the tested sample after approval of the test report. Unless the applicant specifically declares and pays the sample management fee, all samples beyond the validity period specified in the standard will not be retained.
9. 本单位保证工作的客观公正性,对委托单位的商业信息、技术文件等商业秘密履行保密义务。  
PONY assures the objectivity and impartiality of the test, and fulfills the obligation of confidentiality for applicant's commercial information, and technique document.
10. 本报告私自转让、盗用、冒用、涂改、未经本单位批准的复制(全文复制除外)或以其它任何形式的篡改均属无效,本单位将对上述行为追究其相应的法律责任。  
Any unauthorized transfer, appropriation, falsification, alteration, copying (except full text copying) or alteration in any other form of this report without the approval of PONY shall be invalid. PONY shall strictly investigate the corresponding legal liability for the aforesaid behavior.

\*\*\*\*\*  
**▲防伪说明 (Anti-counterfeiting Instructions):**

1. 报告编号是唯一的;  
The report number is unique.
  2. 扫描报告首页下方二维码,即可查询报告真伪。  
Scan the QR code below the first page to check the authenticity of the report.
- \*\*\*\*\*



**全国服务热线**  
**400-819-5688**

**WWW.PONYTEST.COM**



集团微信订阅号



集团微信服务号

|                         |                             |                                 |                             |
|-------------------------|-----------------------------|---------------------------------|-----------------------------|
| 北京实验室: (010)83055000    | 乌鲁木齐实验室: (0991)6684186      | 贵州鼎盛检测有限公司: (0851)84133211      | 武汉化学实验室: (027)83997137      |
| 北京谱尼科技公司: (010)80415661 | 石家庄实验室: (0311)85376660      | 上海实验室: (021)64851999            | 谱尼车附所实验室: (027)82318175     |
| 青岛实验室: (0532)88706866   | 西安实验室: (029)89608785        | 上海谱尼新能源实验室: (021)57877071       | 湖北中佳合成制药有限公司: (0728)5335384 |
| 天津实验室: (022)23607888    | 西安创尼信息科技有限公司: (029)81123180 | 上海谱尼生物医药实验室: (021)34189000-6515 | 合肥实验室: (0551)63843474       |
| 长春实验室: (0431)80530198   | 西安壹德威克辐射技术公司: 13080929363   | 苏州实验室: (0512)62997900           | 谱尼深圳通测实验室: (0755)27673339   |
| 沈阳实验室: (024)22811886    | 呼和浩特实验室: (0471)3450025      | 苏州汽车座椅实验室及儿童安全座椅                | 南宁实验室: (0771)5518818        |
| 哈尔滨实验室: (0451)58627755  | 成都实验室: (028)87702708        | 碰撞实验室: (0512)62997900-396       | 厦门实验室: (0592)5568048        |
| 郑州实验室: (0371)69350670   | 贵阳实验室: (0851)85221000       |                                 |                             |

## 测试报告

(Test Results)

No. A4F221077A4S41C7377

第 1 页, 共 3 页 (page 1 of 3)

|                               |                                     |                                            |                  |
|-------------------------------|-------------------------------------|--------------------------------------------|------------------|
| 样品名称<br>(Sample Description)  | 玉米芯垫料                               | 样品规格<br>(Sample Specification)             | ——               |
| 委托单位<br>(Applicant)           | 山西三颗月生物科技有限公司                       | 商标<br>(Trade Mark)                         | ——               |
| 委托单位地址<br>(Applicant Address) | 山西省太原市迎泽区郝庄镇国泰龙城苑西区 3 号楼 3 单元 402 室 |                                            |                  |
| 到样日期<br>(Received Date)       | 2025-02-21                          | 生产日期或批号<br>(Manufacturing Date or Lot No.) | ——               |
| 测试日期<br>(Test Date)           | 2025-02-25~2025-03-05               | 样品等级<br>(Sample Grade)                     | ——               |
| 样品状态<br>(Sample Status)       | 完好                                  | 测试类别<br>(Test Type)                        | 委托测试             |
| 测试项目<br>(Test Items)          | 见下页                                 | 测试环境<br>(Test Environment)                 | 符合要求             |
| 参考方法<br>(Reference Methods)   | 见下页                                 |                                            |                  |
| 所用主要仪器<br>(Main Instruments)  | 原子吸收光谱仪、原子荧光光谱仪等                    |                                            |                  |
| 备注<br>(Note)                  | 限值标准: DB13/T 2547-2017              |                                            |                  |
| 编制人<br>(Edited by)            | 张甜甜                                 | 审核人<br>(Checked by)                        | 周静宜              |
| 批准人<br>(Approved by)          | ↓                                   | 签发日期<br>(Issued Date)                      | 2025 年 03 月 06 日 |

## 测试报告

(Test Results)

No. A4F221077A4S41C7377

第 2 页, 共 3 页 (page 2 of 3)

测试结果(Test Results):

| 序号<br>(S/N) | 测试项目<br>(Test Item)                                                             | 单位<br>(Unit) | 限值<br>(Limit)                      | 测试结果<br>(Test Result) | 单项结论<br>(Evaluation) | 参考方法<br>(Test Methods)      |
|-------------|---------------------------------------------------------------------------------|--------------|------------------------------------|-----------------------|----------------------|-----------------------------|
| 1           | 外观                                                                              | —            | 垫料的形状基本一致、大小均匀、没有硬的毛刺,经灭菌后不破碎,不粘结。 | 符合要求                  | 符合                   | DB13/T 2547-2017<br>7.1.1   |
| 2           | 吸水率                                                                             | %            | 垫料的 48 小时吸水率应不小于 150%。             | 163.0                 | 符合                   | DB13/T 2547-2017<br>附录 B    |
| 3           | 含尘量                                                                             | %            | ≤1                                 | 0                     | 符合                   | DB13/T 2547-2017<br>附录 C    |
| 4           | 水分                                                                              | %            | —                                  | 9.3                   | —                    | GB/T 43839-2024<br>附录 B     |
| 5           | 总糖<br>(果糖+葡萄糖+蔗糖+麦芽糖+乳糖)                                                        | g/100g       | —                                  | 2.2                   | —                    | GB 5009.8-2023<br>第一法       |
| 6           | 铅                                                                               | mg/kg        | —                                  | 未检出 (<10)             | —                    | GB/T 43839-2024<br>附录 C.2.5 |
| 7           | 砷                                                                               | mg/kg        | —                                  | 未检出 (<0.1)            | —                    | GB/T 43839-2024<br>附录 C.3   |
| 8           | PCB 28                                                                          | µg/kg        | —                                  | 未检出 (<0.5)            | —                    | GB 5009.190-2014<br>第二法     |
| 9           | PCB 52                                                                          | µg/kg        | —                                  | 未检出 (<0.5)            | —                    | GB 5009.190-2014<br>第二法     |
| 10          | PCB 101                                                                         | µg/kg        | —                                  | 未检出 (<0.5)            | —                    | GB 5009.190-2014<br>第二法     |
| 11          | PCB 118                                                                         | µg/kg        | —                                  | 未检出 (<0.5)            | —                    | GB 5009.190-2014<br>第二法     |
| 12          | PCB 138                                                                         | µg/kg        | —                                  | 未检出 (<0.5)            | —                    | GB 5009.190-2014<br>第二法     |
| 13          | PCB 153                                                                         | µg/kg        | —                                  | 未检出 (<0.5)            | —                    | GB 5009.190-2014<br>第二法     |
| 14          | PCB 180                                                                         | µg/kg        | —                                  | 未检出 (<0.5)            | —                    | GB 5009.190-2014<br>第二法     |
| 15          | 多氯联苯<br>(7 种总量:PCB 28、PCB 52、PCB 101、PCB 118、PCB 138、PCB 153、PCB 180)<br>(以干基计) | —            | —                                  | 未检出 (<0.5)            | —                    | GB 5009.190-2014<br>第二法     |

## 测试报告

(Test Results)

No. A4F221077A4S41C7377

第 3 页, 共 3 页 (page 3 of 3)

| 序号<br>(S/N) | 测试项目<br>(Test Item)              | 单位<br>(Unit)     | 限值<br>(Limit) | 测试结果<br>(Test Result)                                                                  | 单项结论<br>(Evaluation) | 参考方法<br>(Test Methods)   |
|-------------|----------------------------------|------------------|---------------|----------------------------------------------------------------------------------------|----------------------|--------------------------|
| 16          | 异狄氏剂                             | mg/kg            | —             | 未检出<br>( $<0.000481$ )                                                                 | —                    | GB/T 5009.19-2008<br>第一法 |
| 17          | 霉菌                               | CFU/g            | —             | $4.2 \times 10^4$                                                                      | —                    | GB/T 43839-2024<br>附录 D  |
| 18          | 志贺氏菌                             | /25g             | —             | 未检出                                                                                    | —                    | GB 4789.5-2012           |
| 19          | 黄曲霉毒素总量<br>( $B_1+B_2+G_1+G_2$ ) | $\mu\text{g/kg}$ | —             | 未检出 (黄曲霉毒素 $B_1 < 0.1$ , 黄曲霉毒素 $B_2 < 0.03$ , 黄曲霉毒素 $G_1 < 0.1$ , 黄曲霉毒素 $G_2 < 0.03$ ) | —                    | GB 5009.22-2016<br>第三法   |
| 20          | 黄曲霉毒素 $B_1$                      | $\mu\text{g/kg}$ | —             | 未检出 ( $<0.1$ )                                                                         | —                    | GB 5009.22-2016<br>第三法   |
| 21          | 黄曲霉毒素 $B_2$                      | $\mu\text{g/kg}$ | —             | 未检出 ( $<0.03$ )                                                                        | —                    | GB 5009.22-2016<br>第三法   |
| 22          | 黄曲霉毒素 $G_1$                      | $\mu\text{g/kg}$ | —             | 未检出 ( $<0.1$ )                                                                         | —                    | GB 5009.22-2016<br>第三法   |
| 23          | 黄曲霉毒素 $G_2$                      | $\mu\text{g/kg}$ | —             | 未检出 ( $<0.03$ )                                                                        | —                    | GB 5009.22-2016<br>第三法   |
| 24          | 绿脓杆菌                             | /25g             | —             | 未检出                                                                                    | —                    | SN/T 2099-2008 7.2       |

以下空白

(End of Report)